

END OF LINE PACKAGING

Hotmelt Adhesives



With a history going back almost 100 years, the companies in our group have been leading players in various aspects of the adhesives industry. Since our inception we have worked hard to develop robust approaches to our business that put our customers at the forefront of all we do. We are proud to collaborate with customers to help them achieve high performance manufacturing, and as a consequence, our adhesives are used throughout the world.

Scientific advancements have been an integral part of who we are since the start. Our founders were pioneers in the adhesives industry, responsible for some of the biggest advances in the field of adhesives and their application.

We use our industry knowledge and technical expertise to formulate solutions with, and for, our customers. Our strategy is focused on helping customers improve their operational performance by providing high quality products that maximise uptime and process performance, enabling business growth.

- ✓ **Extensive technical expertise across all adhesive applications**
- ✓ **Strong associations with allied industries & trade bodies**
- ✓ **Socially & environmentally responsible manufacturing**
- ✓ **Powerful culture of innovation & collaboration**



The Gluecom Approach

SUSTAINABILITY

As a leading adhesive manufacturer, we are committed to develop products that will assist in reducing the impact modern life has on our environment and its natural resources. Green and sustainable solutions are predicted to show strong growth as consumers environmental concerns are stimulating demand.

There are a number of ways in which adhesives can be engineered to reduce your products' footprint on the planet, improving your environmental friendliness. We continue to work with clients in a collaborative process to determine the best ecological solution for their unique demand. We help customers develop products that are repulpable, recyclable, bio-based, biodegradable or compostable.



ASK US ABOUT
OUR SUSTAINABLE
AND
BIO-BASED
OPTIONS



End of line Packaging Hotmelt Adhesives

As a major supplier to the packaging industry, the Gluecom group supplies a comprehensive range of end of line hotmelt packaging adhesives, covering all combinations of substrates and application methods.

The Demcomelt range of hotmelt adhesives is designed to meet the needs of modern high-speed, high-quality production. All of our end of line packaging hotmelt adhesives are food safe.

Demcomelt products help our customers to maximise efficiency and minimise costs by reducing down time, increasing line speeds and improving adhesive mileage.

ADHESIVES FOR

- Deep freeze application
- Hot filled products
- Tray erection
- Food labelling
- Carton closing
- Case closing & wrap around
- Greaseproof and difficult to bond boards



BENEFITS

Reduced charring
Reduced nozzle blockages
Good heat resistance
Good cold flexibility

POLYOLEFIN - METALLOCENE

General Purpose

Demcomelt 70132

Viscosity : 1200 mPas @ 170°C

- Good heat resistance
- Clean application
- Excellent mileage

Application Temp : 150-180°C
Colour : White

DEEP FREEZE

Demcomelt 70134

Viscosity : 1200 mPas @ 170°C

- Recommended for more difficult surfaces
- Excellent thermal stability
- Good cold flexibility
- Short open time and short setting time

Application Temp : 150-180°C
Colour : White

DEEP FREEZE

Higher speeds, or very short compression

Demcomelt 70138

Viscosity : 1125 mPas @ 170°C

- Essential oils resistant
- Good heat resistance
- Suitable for deep freeze
- Good for machines with low compression

Application Temp : 150-180°C
Colour : White

HIGH HOT TACK

Difficult materials

Demcomelt 70140

Viscosity : 1560 mPas @ 170°C

- Suitable for difficult surfaces
- Excellent thermal stability
- Suitable for deep freeze
- Short open time and medium setting time

Application Temp : 150-180°C
Colour : White

HIGH SPEED MACHINES



Our experienced technical adhesive and application specialists work closely with customers and machinery suppliers to optimise performance.

Whatever you're bonding, we have the right adhesive solution for you.

Demcomelt 70150

Viscosity : 1500 mPas @ 170°C

- Recommended for PP and PET
- Very good thermal stability
- No carbonisation
- Suitable for deep freeze

Application Temp : 150-180°C
Colour : White

WINDOW PATCHING

Demcomelt 70120

Viscosity : 1560 mPas @ 170°C

- Ideal for difficult surfaces
- Suitable for high speed machines
- Excellent thermal stability
- Suitable for deep freeze

Application Temp : 140-180°C
Colour : White

COST EFFICIENT

Very difficult materials

Demcomelt 70230

Viscosity : 2000 mPas @ 170°C

- Good for difficult surfaces
- Suitable for high speed machines
- Suitable for deep freeze
- High cohesive strength

Application Temp : 150-180°C
Colour : White

HOTFILL APPLICATIONS

Coolmelt

Demcomelt 70051

Viscosity : 2600 mPas @ 120°C

- Low application temperature
- Good for difficult surfaces
- Excellent mileage

Application Temp : 120-180°C
Colour : White

DEEP FREEZE



With sites across Europe, each company within the Gluecom group operates as an autonomous business, but has access to the adhesive products and technical facilities of the group.

This enables us to run with the speed and flexibility of small companies but with the purchasing power, technical facilities and manufacturing power of the multi-nationals.

HYBRID

Demcomelt 50130

Viscosity : 1200 mPas @ 170°C

- Ideal for corrugated cases, tray making and closing of cases
- Good thermal stability
- Suitable for deep freeze

Application Temp : 150-180°C
Colour : White

HIGH SPEED MACHINES

Demcomelt 60020

Viscosity : 875 mPas @ 170°C

- Based on a metallocene polymer with bio-based resins
- Ideal for corrugated cases, tray making and closing of cases
- Good heat resistance and cold flexibility
- Suitable for deep freeze

Application Temp : 150-180°C
Colour : Light yellow

SUSTAINABLE

EVA

Demcomelt 60142

Viscosity : 1400 mPas @ 170°C

- Premium adhesive
- Good adhesion to a range of difficult surfaces
- High hot tack
- Suitable for deep freeze and chilled

Application Temp : 150-180°C
Colour : Yellow

HIGH ADHESION

Demcomelt 60122

Viscosity : 1500 mPas @ 170°C

- Suitable for all machine speeds
- Good heat resistance
- Wide application suitability

Application Temp : 150-180°C
Colour : Yellow

MULTI PURPOSE

Demcomelt 60150

Viscosity : 1900 mPas @ 170°C

- Good adhesion to a range of difficult surfaces
- Medium open time and long setting time
- Suitable for deep freeze

Application Temp : 150-180°C
Colour : Yellow

DIFFICULT SUBSTRATES

Demcomelt 60055

Viscosity : 1600 mPas @ 120°C

- Low application temperature
- Wide application suitability
- Good for medium to high speed lines

Application Temp : 120-160°C
Colour : Yellow

LOW TEMPERATURE

Demcomelt 60053

Viscosity : 400 mPas @ 120°C

- Low application temperature
- Suitable for deep freeze
- Good for medium to slow speed lines

Application Temp : 120-160°C
Colour : Yellow

LOW TEMPERATURE

“

Hotmelt adhesives are a crucial component in end-of-line packaging, offering reliable and efficient solutions for a wide range of packaging applications. These adhesives play a vital role in protecting and safely delivering products to consumers.

At Gluecom, we manufacture specialised hotmelt adhesives designed specifically for the assembly, erecting, closing, and sealing of food packaging, as well as other end-of-line packaging processes. These hotmelt formulations are engineered to deliver high performance, ensuring that your packaging operations run smoothly and efficiently.

Our hotmelt adhesives are formulated to minimize downtime and maximize productivity in your packaging operations. By providing reliable and consistent adhesion, these products help to streamline your packaging processes, reducing the risk of delays or disruptions.

Whether you're working with food packaging or other end-of-line applications, our specialised hotmelt adhesives can help you achieve your packaging goals with confidence and efficiency.

”



Our production facilities are equipped with the latest technology. Each plant has long experience and a specific focus in the production of industrial adhesives.

Raw materials are carefully sourced and transformed into a wide range of high quality end products.



UK & Ireland

ACE ADHESIVES LTD
Shenstone Drive
Northgate, Aldridge
WS9 8TP
UNITED KINGDOM

T +44 1922 459393
sales@aceadhesives.co.uk
www.aceadhesives.co.uk

PAFRA ADHESIVES LTD
Pafra House
Bentalls
Basildon, Essex
SS14 3BU
UNITED KINGDOM

T +44 1268290610
sales@pafra.com
www.pafra.com

World & Benelux

DEMCOPACK DAVIS
Waterstraat 6
9160 Lokeren
BELGIUM

T +32 9 340 47 60
sales@demcopack.com
www.gluecom.eu

MERCKX
Pathoekeweg 122
8000 Brugge
BELGIUM

T +32 5 045 84 80
sales@merckx.be
www.gluecom.eu

Germany

GLUECOM DEUTSCHLAND
Mühlackerstrasse 77
75417 Mühlacker-Lomersheim
DEUTSCHLAND

T +49 1703 594970
verkauf@gluecom.eu
www.gluecom.eu

France & North Africa

LABORD
ZI Chemin des 50 Arpents
91180 St.-Germin-Lés-Arpajon
FRANCE

T +33 160 85 52 00
sercom@labord.com
www.gluecom.eu

Poland

DEMCOPACK POLSKA
Mieczysława Pozaryskiego 32
04-703 Warszawa
POLAND

T +48 222 99 86 60
info.pl@demcopack.com
www.gluecom.eu

